

Autorenverzeichnis/Author Index

- Abdel-Khalek A. A.*, s. *Elsemongy M. M.*
- Abraham W.*, s. *Kupfer M.*
- Afshar S.*, s. *Saljoughian M.*
- Ahluwalia V. K.*, *Khanna M.*, *Singh R. P.* Acid catalyzed condensation of isoprene with orcinol: Synthesis of 2,2-dimethylchromans and 5-methyl-xanthyletin derivatives, 71
- Ahluwalia V. K.*, *Tehim A. K.*, Synthesis of carboxy-2,2-dimethylchromans and chromenes, 1381
- Akgün E.*, *Kämpchen T.*, *Pindur U.* Darstellung und Struktur von Pyrazolyl-Kationen mit Polymethin- und Methan-Gerüst, 219
- Alipour E.*, s. *Saljoughian M.*
- Al-Nimri A. F.*, s. *Dukov L.*
- Alt H. G.*, s. *Lin W. O.*
- Altó A. P.*, s. *Lin W. O.*
- Anand R. C.*, *Ranjan H.* Synthesis of 2,2-dimethyl-5-hydroxy-3-(3-oxobutyl)-7-pentyl-4-chromon (Short commun.), 123
- Angrick M.*, *Rewicki D.* Note on the esterification of some Z-amino acids with glyceraldehyde-diethylacetal (Short commun.), 631
- Apella M. C.*, *Baran E. J.*, *Etcheverry S. B.*, *Mercader R. C.* IR- und ^{119}Sn -Mössbauer-Spektren einiger Zinn(II)-Phosphate, 1149
- Argay G.*, *Kálmán A.*, *Ribár B.*, *Leovac V. M.*, *Petrović A. F.* Synthesis and molecular structure of salicylaldehyde S-methyl-isothiosemicarbazone, $\text{C}_9\text{H}_{11}\text{N}_3\text{OS}$, 1205
- Asinger F.*, *Gluzek K.-H.* Beiträge zur Kenntnis der Reaktionsfähigkeit des Penicillamins und seiner Derivate. Über die gemeinsame Einwirkung von elementarem Schwefel und gasförmigem Ammoniak auf Ketone, 98. Mitt., 47
- Augustyn E.*, *Bogdanowicz-Szwed K.* The reaction of malononitrile with enamines of β -ketocarbothionic acid anilides, 1189
- Baran E. J.*, s. *Apella M. C.*
- Bastos Viera de Souza M. C.*, s. *Lin W. O.*
- Baumgartner O.*, *Pertlik F.* Die Kristallstruktur von $\text{Ca}_x(\text{Ca}, \text{Mg}_{1-x})(\text{AsO}_4)_2(\text{AsO}_3\text{OH})$ mit $x \sim 0,5$, 259
- Beggiato G.*, *Casalbore G.*, *Marconi G.*, *Mastragostino M.* Charge-transfer complexes between *p*-toluidine and iodine in solution: A spectrophotometric and voltammetric study, 675
- Beismann K.*, s. *Böhmer V.*
- Berner H.*, *Vyplel H.*, *Schulz G.* Chemie der Pleuromutiline, VII. Basisch induzierte transanuläre 1,4-Hydridverschiebung in 8-substituierten Pleuromutilinderivaten, 501

- Berner H., Vyplel H., Schulz G., Stuchlik P. Chemie der Pleuromutiline, IX. Konfigurationsumkehr der Methylgruppe am Kohlenstoff 6 im tricyclischen Gerüst des Diterpens Pleuromutilin, 1125
- Blaha H., s. Boller H.
- Blumenthal T., Wannagat U., Brauer D. J., Bürger H. Novel inorganic ring systems. XL: A dimeric cycloaluminadiazane, 1271
- Bogdanowicz-Szwed K., s. Augustyn E.
- Böhmer V., Stotz D., Beismann K., Niemann W. Kinetik der Bromierung von Phenolen und phenolischen Mehrkernverbindungen, 4. Der Einfluß des Nachbarbausteins auf die Reaktivität von Dihydroxydiphenylmethanen, 411
- Boller H., Blaha H. Zur Kenntnis des Natriumthioferrates(III), 145
- Bonnet P.-H., s. Pourzal A.-A.
- Borsdorf R., s. Kretschmer M.
- Brandstetter H. H., Zbiral E. Zur Synthese von Sialylglykosiden (Darstellung von Methyl-6-O-benzyl-(4,7,8,9-tetra-O-acetyl-5-acetyl-amino-3,5-didesoxy-D-glycero- α bzw. β -D-galacto-2-nonulopyranosäure-methylester)- α bzw. β -D-glucopyranosid), 1247
- Brauer D. J., s. Blumenthal T.
- Braun D., Jakobi R. Synthese und Zerfall von Azoinitiatoren, II, 37
- Brown K., s. Midha A.
- Buchbauer G., Haslinger E., Robien W., Vitek R. Zum Problem Camphenilansäure-Camphenansäure und Isocamphenilansäure-Isocamphenansäure. Synthesen in der Isocamphanreihe, 19. Mitt., 113
- Buchbauer G., Wolczik A. Derivate der 4-Isocamphanyl-4-oxo-buttersäure und ein neues Theaspiranalogon, 1237
- Budzikiewicz H., Poppe A. Nieder-eV-Elektronenstoßmassenspektren von aromatischen Estern, 89
- Bukovec P. Untersuchungen an Fluorometallaten, III. Synthese und Kristallstruktur von Guanidinium Hexafluor-aluminat, -gallat und -indat (Kurze Mitt.), 277
- Bürger H., s. Blumenthal T.
- Calixto F. S., Deyá P. M., García-Raso A. A method for the calculation of heats of solution (ΔH_s) for organic compounds from the number of constituent carbon atoms and the functional groups, 385
- Casado J., Castro A., Leis J. R., López Quintela M. A., Mosquera M. Kinetic studies on the formation of N-nitroso compounds VI. The reactivity of N_2O_3 as a nitrosating agent, 639
- Casado J., Castro A., López Quintela M. A., Mosquera M., Rodríguez Prieto M. F. Kinetic studies on the formation of N-nitroso compounds VII. Nitrosation of morpholine in acetate buffer, 647
- Casalbore G., s. Beggiano G.
- Castro A., s. Casado J.
- Chomič J., s. Györgyová K.
- Coletti-Previero M.-A., s. Previero A.
- Copaja S., s. González G.
- Coutinho E. d. S., s. Lin W. O.
- Cyvin S. J. Number of Kekulé structures of single-chain aromatics, 13

- Cyvin S. J. Number and symmetry of Kekulé structures for some aromatic chain molecules, 525
- Czaputa R., s. Popitsch A.
- Czarniecki J., s. Goworek J.
- Czuchajowski L., s. Wisor A.
- Dabrowski A. Theoretical studies on the adsorption from non-ideal binary liquid mixtures on heterogeneous surfaces involving difference in molecular sizes of compounds, 875
- Daniluk E., s. Skarżewski J.
- Davies P. R., Morgan A. R., Kurzer F. Di-isophorone and related compounds. Part 10: ^{13}C -Nuclear magnetic resonance spectra of di-isophorone derivatives, 739
- Derylo A., s. Jaroniec M.
- Deyá P. M., s. Calixto F. S.
- Diáz C., s. González G.
- Dimitriev Y., s. Dimitrov V.
- Dimitrov V., Dimitriev Y., Mihailova V. IR-Spectral investigation of the structure of glasses in the Fe_2O_3 - V_2O_5 system, 669
- Doménech J. Some observations about the subdivision of the viscosity B -coefficient in water (Short commun.), 1351
- Dukov L., Kassabov G. I., Al-Nimri A. F. Synergistic extraction of lanthanides with mixtures of thenoyltrifluoroacetone and triethylamine (Short commun.), 273
- Eckstein Z., Lipczyńska-Kochany E., Leszczyńska E. Preparation of new quinolinecarbohydroxamic acids (Short commun.), 1009
- Eichinger D., Falk H. Beiträge zur Chemie der Pyrrolpigmente, 47. Mitt.: Zum Transport von Gallenfarbstoffen durch Modellmembranen, 593
- Elbanowski M., Lis S., Makowska B. Influence of pH and concentration of complexing agents on fluorescence of samarium(III), gadolinium(III), and terbium(III)-ethylenediaminetetraacetic acid or nitrilotriacetic acid complexes in aqueous solutions, 185
- Elsomogy M. M., Abdel-Khalek A. A. Thermodynamic studies of hydriodic acid in ethylene glycol-water mixtures from electromotive force measurements, 891
- Etcheverry S. B., s. Apella M. C.
- Falk H., Grubmayr K., Kapl G., Müller N., Zrunek U. Beiträge zur Chemie der Pyrrolpigmente, 48. Mitt.: Phytochrommodellstudien. Diastereomere 2,3-Dihydrobilatriene-abc, 753
- Falk H., Kapl G., Müller N. Beiträge zur Chemie der Pyrrolpigmente, 49. Mitt.: Phytochrommodellstudien. Die thermische Stabilität diastereomerer 2,3-Dihydrobilatriene-abc, 773
- Falk H., Zrunek U. Beiträge zur Chemie der Pyrrolpigmente, 50. Mitt.: Phytochrommodellstudien: Das Laktam—Laktimgleichgewicht des Pyrrolidinonfragmentes von 2,3-Dihydrobilatrienen-abc. Protonierungsgleichgewichte, 983
- Falk H., Zrunek U. Beiträge zur Chemie der Pyrrolpigmente, 51. Mitt.: Phytochrommodellstudien: Zur Deprotonierung von 3,4-Dihydropyrromethenonen und 2,3-Dihydrobilatrienen-abc, 1107
- Falk H., s. Eichinger D.

- Fernández G. J. M., Rubio-Arroyo M. F., Rubio-Poo C., Pena A. de la. Palladium(II) and platinum(II) dichloro complexes containing diamine-estrone derivatives, 535
- Fischer E. O., Schneider J., Neugebauer D. Neuartige Darstellung, spektroskopische Daten und Molekülstruktur von Cyclo-[tris(tricarbonylco-balt)]- μ_3 -(ethoxymethylidin), μ_3 -(COCH₂CH₃)[(CO)₆Co₃], 851
- Fischer W., s. Mannschreck A.
- Fuchsgraber A., s. Wendelin W.
- Gakhar H. K., Jain A., Gill J. K., Gupta S. B. Triazolo[4',3':4,5][1,3,4]thiadiazolo[2,3-b]-quinazolin-6-one, 339
- Galinos A. G., s. Perlepes S. P.
- Galzigna L., s. Previero A.
- García-Raso A., s. Calixto F. S.
- Gauster D., Tuppy H. Cholesteryl sulfate in meconium: Inhibitory action on rabbit anti-M and anti-N antisera, 453
- Gauster D. J., s. Haselberger C. G.
- Gewald K., Röllig H. Cyclisierung von 3-Acylmethylthio-4-cyan-2H-isothiazol-5-thionen (Kurze Mitt.), 999
- Gill J. K., s. Gakhar H. K.
- Girgis K., s. Villars P.
- Gluzek H.-K., s. Asinger F.
- Goljer I., Světlík J., Hrušovský I. ¹³C-NMR of substituted tetrazoles, 65
- González G., Díez C., Copaja S. Reaktionen von Diaminosulfanen mit Kupfer(II)-Salzen, 177
- Goworek J., Jaroniec M., Czarniecki J. Multilayer effects in adsorption of alcohols from benzene and *n*-heptane on silica gel (Short commun.), 559
- Grimmer A.-R., Lampe F. v., Mägi M., Lippmaa E. Hochauflösende ²⁹Si-Festkörper-NMR-Spektroskopie: Si-O-Si-Bindungswinkel und chemische Verschiebung in Disilicaten (Kurze Mitt.), 1053
- Grubmayr K., s. Falk H.
- Gründler W. Elektronenstruktur und Stabilität kondensierter Kohlenwasserstoffe, 155
- Gupta, A., s. Li S.
- Gupta S. B., s. Gakhar H. K.
- Gutmann V., Resch G. The hierarchic order in the solid state, Part IV. States of "optimal hierarchic order". Solid - "meltlike" transitions, 839
- Györyová K., Skoršepa J., Chomič J. Synthese von Trimethyl- und Triphenylsulfonium-Cyanometallaten (Kurze Mitt.), 1137
- Habernig D., s. Schweiger K.
- Hahn H., U'ozary K., Meindl W. Fluorodiazadiphosphetidine, 12. Mitt.: Reaktionen von Oktafluoro-1,3,2λ⁸,4λ⁸-diazoniadiphosphatetidenen, 1167
- Halwax E., Völlenkne H. Die Kristall- und Molekülstruktur von {η⁶,η⁶-[2'-(1,3-Dioxolan-2-yl)biphenyl-2-carbonsäure-methylester]}bis(tricarbonylchrom), C₂₃H₁₈Cr₂O₁₀ und von {η⁶,η⁶-[Biphenyl-2,2'-dicarbonsäure-methylester]}bis(tricarbonylchrom), C₂₂H₁₄Cr₂O₁₀, 687
- Hänsler M., s. Könnecke A.
- Hargreaves M. K., Rabari L. F. The ORD, CD and UV spectra of sulphides derived from carvone, 195

- Hase Y. Low wavenumber Raman bands ($300\text{--}50\text{ cm}^{-1}$) for four isotopically substituted lithium hydrogen oxalate monohydrates $\text{LiXC}_2\text{O}_4 \cdot \text{X}_2\text{O}$, 541
- Haselberger C. G., Gauster D. J., Schenkel-Brunner H. An improved method for the determination of glycosyltransferases using *para*-nitrophenyl-glycosides as substrates, 625
- Haslinger E., Kalchhauser H., Steindl H. Bromination of resin acid derivatives, 1259
- Haslinger E., Koci K., Robien W., Schlögl K. Ferrocene derivatives, 67. ^{57}Fe -NMR spectroscopy of ferrocenes, 495
- Haslinger E., Steindl H. Thermal decomposition of maleopimaric acid in the presence of selenium (Short commun.), 1141
- Haslinger E., s. Buchbauer G.
- Hecht H.-J., s. Martin H.-D.
- Hekman M., s. Martin H.-D.
- Hengge E., s. Schuster H. G.
- Hentschel K., s. Leistner S.
- Herden H., s. Einicke W. D.
- Hofer O., Weissensteiner W., Widhalm M. Absolute configurations and circular dichroism of sesquiterpene-coumarin ethers, 1399
- Hrušovský I., s. Goljer I.
- Inugai M., s. Koshitani J.
- Ipsen H., Mikula A., Terzieff P. Lattice parameters and melting behavior of the B2-phase in the ternary gold-cadmium - zinc system, 1177
- Jain A., s. Gakhar H. K.
- Jakobi R., s. Braun D.
- Jakubke H.-D., s. Könnecke A., Kuhl P.
- Jánosi A. Röntgenkleinwinkelstreuung von Mehrphasensystemen. Interpretation der Elektronendichtefluktuation, 377
- Jansen M., s. Wiench D. M.
- Jaroniec M., Derylo A., Marczewski A. The Langmuir-Freundlich equation in adsorption from dilute solutions on solids, 393
- Jaroniec M., Marczewski A. W., Einicke W. D., Herden H., Schöllner R. Adsorption of 1-tetradecene/dodecane mixtures on different types of zeolites, 857
- Jaroniec M., s. Goworek J., Marczewski A. W.
- Jarosch D., Zemann J. On the aplanarity of the nitrate group in inorganic crystals, 267
- Jaskólski M., s. Lomozik L.
- Jeitschko W., s. Rühl R.
- Jorde C., s. Kratky C.
- Jorge T. C. M., s. Khan M. A.
- Junek H., Uray G., Kotzent A. Isomere Diamino-alkoxy-pyridin-carbonitrile — ihre Trennung und Verwendung als Kupplungskomponenten. Synthesen mit Nitrilen, 69. Mitt., 973
- Kalchhauser H., s. Haslinger E.
- Kalinowski M. K., Klimkiewicz J. Solvation Effects in the electrochemistry of diphenylpicrylhydrazyl, 1035
- Kalinowski M. K., s. Urbanczyk A.

- Kálmán A., s. Argay G.
- Kämpchen T., s. Akgün E.
- Kapl G., s. Falk H.
- Kappe T., Korbuly G., Pongratz E. Ylide von Heterocyclen, IV. Sulfonium- und Pyridinium-Ylide des Cumarins und des 2-Chinolons, 303
- Kappe T., Linnau Y., Chinolizine und Indolizine, XIII. Acyl-2-hydroxy-4-chinolizinone, 349
- Kappe T., Linnau Y. Chinolizine und Indolizine, XIV. Umlagerungen von Heterocyclen, X. Ringumwandlungen von 1-Acyl-2-hydroxy-4-chinolizinonen, 485
- Kappe T., Ravai Y., Stadlbauer W. Umlagerungen von Heterocyclen, IX. Mesoionische Sechsringheterocyclen, XV. Ketenoid Umlagerungen mesoionischer Pyrimido[1,2-a]chinoline, 227
- Kappe T., Stelzel P., Ziegler E. Synthese von Pyridonen aus Enaminen und Cyanessigsäuren, 953
- Kappe T., s. Stadlbauer W.
- Kasabov G. I., s. Dukov L.
- Kassem M. G., Soliman F. S. G. Reactions with 2-aminonicotinic acid. I. Some 8-aza analogs of quinazolinones and derived tricyclic compounds, 1197
- Katsaros N., Tsangaris J. M., Tsangaris G. M. Gold(III) and platinum(II) complexes of hexamethylenetetramine, 27
- Kaushik N. K., s. Khera B., Sharma A. K.
- Kerbl J., s. Wendelin W.
- Khan M. A., Jorge T. C. M. Synthesis of some 3-cyano-2-methyl-quinolin-4-ones, 333
- Khan M. A., Ribeiro V. L. T. Tricyclic heteroaromatic ring systems, IV. Synthesis and reactions of 4H-Pyrazolo[1,5-a]benzimidazole, 425
- Khan M. A., Rolim A. M. C. Fused pyrazolopyrimidines, II. Thieno 3,4]pyrazolo[1,5-a]pyrimidines, 1079
- Khanna M., s. Ahluwalia V. K.
- Khanna R. N., s. Pathak V. P.
- Khera B., Sharma A. K., Kaushik N. K. Mono- and bisphenoxy derivatives of bis(indenyl) titanium(IV), 1161
- Khera B., s. Sharma A. K.
- Kleinpeter E., s. Kretschmer M.
- Kliegel W., Nanninga D. Borchelate von Salicylaldehyd und Derivaten, 465
- Klimjiewicz J., s. Kalinowski M. K.
- Klouras N., s. Köpf H.
- Könnecke A., Hänsler M., Schellenberger V., Jakubke H.-D. Peptidsynthesen mit immobilisierten Enzymen, II. Immobilisiertes Trypsin, Thermolysin und Papain, 433
- Könnecke A., s. Kuhl P.
- Köpf H., Klouras N. Das erste [1]Titanocenophan mit Phosphor-Brücke, 243
- Korbuly G., s. Kappe T.
- Koshitani J., Inugai M., Ueno Y., Yoshida T. Mechanism of decomposition of α,α -dimethylbenzyl hydroperoxide producing acetophenone and α,α -dimethylbenzyl alcohol in a constant proportion of 2 to 1, 1391

- Kotzent A., s. Junek H.
- Kratky C., Jorde C., Popitsch A. Crystal structures of Cu(II) complexes of pyridine-2,6-dithiocarbomethylamide, 829
- Kratky C., s. Schweiger K.
- Kretschmer M., Kleinpeter E., Pulst M., Borsdorf R. Kombinierte d-NMR- und LIS-Untersuchungen zum konformativen Verhalten von Formyl-methylenthio-pyranen, 289
- Kübel B. Neue acetonylsubstituierte Azole, III. Umlagerung von 3-Acetonyl-1,2,4-oxadiazolen in 3-Acyl-amino-isoxazole, 373
- Kuhl P., Wildorf A., Jakubke H.-D. Modelluntersuchungen zur pepsinkatalysierten Peptidsynthese im wäßrig-organischen Zweiphasensystem, 571
- Kuhl P., Zapevalova N. P., Könnecke A., Jakubke H.-D. Model studies on carboxypeptidase Y catalyzed peptide synthesis in an aqueous-organic two-phase system, 343
- Kupfer M., Abraham W. Multiparametermodelle für die Interpretation von Lösungsmiteleinflüssen auf spektroskopische und photophysikalische Parameter, 2. Mitt.: Zum Lösungsmiteleinfluß bei der photophysikalischen Desaktivierung photoangeregter *N,N*-Dialkylaniline, 513
- Kurzer F., s. Davies P. R.
- Kus P., s. Wisor A.
- Lal K. Mechanism of the formation of the complexes of trimethylchlorosilane with some nitrogen donors in nitrobenzene (Short commun.), 33
- Lampe F. v., s. Grimmer A.-R.
- Leis J. R., s. Casado J.
- Leistner S., Hentschel K., Wagner G. Ringtransformation von 3,1-Benzothiazin-2,4-dithionen mit Carbonsäurehydraziden zu substituierten 1,3,4-Thiadiazolen oder (in Gegenwart von Hydroxidionen) zu 3-Acyl-aminochinazolin-2,4-dithionen, 915
- Leovac V. M., s. Argay G.
- Leszczyńska E., s. Eckstein Z.
- Li S., Gupta A., Vogl, O. Funcional polymers, XXI. Synthesis of compounds with more than one benzotriazole group in the molecule, 937
- Lin W. O., Bastos Vieira de Souza M. C., Altdé A. P., Alt H. G. New multidentate compounds of ether-ester type, 359
- Lin W. O., Coutinho E. d. S. 8,9-Methylenedioxy-3,4-dihydro-1,4,5-benzo-triazocin-2(1H)-ones, 1231
- Linnau Y., s. Kappe T.
- Lipczyńska-Kochany E., s. Eckstein Z.
- Lippmaa E., s. Grimmer A.-R.
- Lis S., s. Elbanowski M.
- Lomozik L., Wojciechowska A., Jaskólski M. Complex formation studies on copper(II) and zinc(II) with asparagine and aspartic acid in aqueous solution (Short commun.), 1185
- López Quintela M. A., s. Casado J.
- Mägi M., s. Grimmer A.-R.
- Mais F.-J., s. Martin H.-D.
- Makowska B., s. Elbanowski M.
- Malyszko E., Malyszko J. Untersuchungen über das Gleichgewicht des $Hg^{2+} - Hg_2^{2+} - Hg$ -Systems in konzentrierten Perchloratlösungen, 547

- Malyszko J.*, s. *Malyszko E.*
- Mannschreck A., Talvitie A., Fischer W., Snatzke G.* Anreicherung der Enantiomeren, Circular dichroismus und absolute Konfiguration von *N,N,N',N'*-Tetramethyldithiooxamid, 101
- Mantovani A.* Organometallic complexes as ligands. Synthesis of *trans*-[PdClC(=NR)(C₆H₅N(6-Cl)-C²)(PPh₃)₂] (R = *p*-OMeC₆H₄, CH₃-C-C₆H₁₁, Bu^t) and new information on the isocyanide insertion into the Pd-C σ bond, 1045
- Marconi G.*, s. *Beggiato G.*
- Marczewski A. W., Jaroniec M.* A new isotherm equation for single-solute adsorption from dilute solutions on energetically heterogeneous solids (Short commun.), 711
- Marczewski A. W.*, s. *Jaroniec M.*
- Marhold H.*, s. *Wolfbeis O. S.*
- Markov P., Petkov I., Roumian C.* On the photochemical behaviour of ethyl acetate in water (Short commun.), 1005
- Martin H.-D., Mais F.-J., Mayer B., Hecht H.-J., Hekman M., Steigel A.* 4,5-Dihydro-1*H*-azepine aus aktivierten Cyclobutenen und 1,3-Dipolen (Kurze Mitt.), 1145
- Maślankiewicz A., Pluta K.* Reactions of thioquinanthrene with alcohols. Sulfuration of azines, IV., 281
- Mastragostino M.*, s. *Beggiato G.*
- Mayer B.*, s. *Martin H.-D.*
- McNaney J. A., Zimmerman F. M., Zimmerman H. K.* The solubilities of two representative potassium carboxylate salts at 25 °C in the aqueous cyclic ethers, 1,4-dioxane and tetrahydrofuran, and their relationship to mean solvent polarity, 1321
- Meindl W.*, s. *Hahn H.*
- Mercader R. C.*, s. *Apella M. C.*
- Mester Z.*, s. *Reisch J.*
- Midha A., Verma R. D., Brown K., Parish R. V.* Mixed dialkyltin(IV) trifluoroacetates, 661
- Mihailova V.*, s. *Dimitrov V.*
- Mikula A.*, s. *Ipser H.*
- Morgan A. R.*, s. *Davies P. R.*
- Mosquera M.*, s. *Casado J.*
- Mourad A. E.*, s. *Nour-el-Din A. M.*
- Müller N.*, s. *Falk H.*
- Müller-Buschbaum Hk., Waburg M.* Pseudobrookite mit weitgehend geordneter Metallverteilung: CoTi₂O₅, MgTi₂O₅ und FeTi₂O₅, 21
- Nanninga D.*, s. *Kiegel W.*
- Neugebauer D.*, s. *Fischer E. O.*
- Niemann W.*, s. *Böhmer V.*
- Niggli A.*, s. *Villars P.*
- Nikokavouras J., Vassilopoulos G.* Effect of vitamins C and P on the chemiluminescence of lucigenin in model membrane structures (Short commun.), 255
- Nikokavouras J.*, s. *Perkizas G.*
- Nour-el-Din A. M., Mourad A. E.* π-π Molecular complexes with nitrones, II. Complexation between heterocyclic nitrones and tetracyanoethylene as well as 1,4-benzoquinones, 211
- Nowotny H.*, s. *Sridharan S.*
- Ogorevc B.*, s. *Verčec B.*

- Parish R. V., s. Midha A.
- Pathak V. P., Saini T. R., Khanna R. N. Photo-Fries rearrangement of 2-naphthyl-benzoate (Short commun.), 1269
- Paulus H., Schlögl K., Weissensteiner W. Synthese, Kristallstruktur und Konformation von *trans*-[2.2](1,2) Ferrocenophan und seinen 1-Hydroxyderivaten. 52. Mitt. über Stereochemie von Metallocenen und 68. Mitt. über Ferrocenderivate, 799
- Pena A. de la, s. Fernández G. J. M.
- Perkizas G., Nikokavouras J. Substituent effect on the chemiluminescence quantum efficiency of some acridan derivatives, 3
- Perlepes S. P., Zafiropoulos T. F., Raptis D., Galinos A. G. Pseudotetrahedral cobaltate(II) anions with two and three different kinds of ligands (Short commun.), 1355
- Pertlik F., s. Baumgartner O.
- Peters K., s. Wittmann H., Ziegler E.
- Petkov I., s. Markov P.
- Petrič A., Tišler M., Stanovnik B. Syntheses of some azolopyridopyrimidines, 615
- Petrović A. F., s. Argay G.
- Pindur U., s. Akyün E.
- Pluta K., s. Maślankiewicz A.
- Pongratz E., s. Kappe T.
- Popitsch A., Czaputa R. Infrared, electronic, and electron spin resonance spectra of pyridine-2,6-dithiocarbonylmethylamide copper(II) complexes, 1337
- Popitsch A., s. Kratky C.
- Poppe A., s. Budzikiewicz H.
- Pourzal A.-A., Bonnet P.-H. Bortrifluorid-katalysierte, ohne Schwermetallzusätze verlaufende Hydratisierung von Alkinen (Kurze Mitt.), 809
- Previero A., Coletti-Previero M.-A., Galzigna L. Cryptic functions of enzymes in chemical catalysis, 1059
- Pulst M., s. Kretschmer M.
- Rabari L. F., s. Hargreaves M. K.
- Rahman M. T. The reaction of 2,3,4-trichlorothiophene with alkylolithium reagents, 249
- Rahman M. T. The reaction of chloromagnesium (2,3,5,6-tetrachlorophenyl) copper with butyllithium, 445
- Raisi A., s. Saljoughian M.
- Ranjan H., s. Anand R. C.
- Raptis D., s. Perlepes S. P.
- Ravai Y., s. Kappe T., Stadlbauer W.
- Reisch J., Mester Z. Ein einfacher Syntheseweg zu Naturstoffen mit 5H-Furan-2-on-Struktur (Kurze Mitt.), 635
- Resch G., s. Gutmann V.
- Rewicki D., s. Angrick M.
- Ribár B., s. Argay G.
- Ribeiro V. L. T., s. Khan M.
- Ribó J. M., Trull F. R. Reactivity of pyrrole pigments, Part 4.: Deuteration of 5-arylmethylene-3-pyrrolin-2-ones with *d*₁-trifluoroacetic acid, 1087

- Riemschneider R., Wons T.* Über das 1,2,4-Triacetylbenzol (Kurze Mitt.), 1267
- Robien W.* Computerunterstützte Zuordnung von ^{13}C -NMR-Spektren, 365
- Robien W.*, s. *Buchbauer G.*
- Rodriguez Prieto M. F.*, s. *Casado J.*
- Rolim A. M. C.*, s. *Khan M. A.*
- Rossmann K.* Das Verhalten der Ceriternitrate in 4M HNO_3 als Unterphase. *Craig*-Verteilung von Selten-
erdnitraten im System Tributylphosphat – Salpetersäure, 11. Mitt. (Kurze Mitt.), 407
- Roumian C.*, s. *Markov P.*
- Rubio-Arroyo M. F.*, s. *Fernández G. J. M.*
- Rubio-Poo C.*, s. *Fernández G. J. M.*
- Rühl R., Jeitschko W.* Über Polyphosphide von Chrom, Molybdän und Wolfram, 817
- Saini T. R.*, s. *Pathak V. P.*
- Saljoughian M.* Deuterium isotope effect and oxidation of labelled alcohols (Short commun.), 509
- Saljoughian M., Raisi A., Alipour E., Afshar S.* An improved synthesis of 1,1,1-trichloro-2-methyl-2-propanol (chlorobutanol) (Short commun.), 813
- Schellenberger V.*, s. *Könnecke A.*
- Schenkel-Brunner H.*, s. *Haselberger C. G.*
- Schermanz K.*, s. *Wendelin W.*
- Schlögl K., Widhalm M., Vogel E., Schwamborn M.* Stereochemie planarchiraler Verbindungen, 9. Mitt.: Chromatographische Enantiomeren-trennung, chiroptische Eigenschaften und relative Konfigurationen von 1,6-Methano[10]janzulen und 2,7-Methano[10]jazaanulen, 605
- Schlögl K.*, s. *Paulus H.*
- Schmid W., Zbiral E.* Strukturelle Abwandlungen an Kohlenhydraten, 7. Mitt.: Ein neuer Zugang zu 3-Acetyl-amino-3-desoxy-D-galaktose, 1253
- Schneider J.*, s. *Fischer E. O.*
- Schnering H. G. v.*, s. *Wittmann H.*
- Schöllner R.*, s. *Einicke W. D.*
- Schöpp W.*, s. *Vorberg S.*
- Schramm H.-W.*, s. *Schweiger K., Zigeuner G.*
- Schulz G.*, s. *Berner H.*
- Schuster H. G., Hengge E.* Zur Reaktion von Permethylcyclosilanen mit Halogenen, 1305
- Schwamborn M.*, s. *Schlögl K.*
- Schwarzhan K. E., Stuefer A.* Übergangsmetallkomplexe mit Nitronyl-nitroxylradikalliganden, 137
- Schweiger K.* Zur Chemie der 2,4-Diaminothiopyranylumjodide. Synthese von $\alpha,\beta,\gamma,\delta$ -ungesättigten Thiocarbonsäureamiden. Über Heterocyklen, 71. Mitteilung, 317
- Schweiger K.* Synthese von 1-substituierten 4-Amino-2(1H)-pyridinthionen durch *Dimroth*-Umlagerung aus 2,4-Diaminothiopyranylumhalogeniden. Über Heterocyklen, 72. Mitteilung, 581

- Schweiger K., Habernig D., Schramm H.-W., Zigeuner G. Zur Chemie der 5-Alkylamino-4H-thiopyrano[2,3-b]pyridin-4-one. Über Heterocyclus, 70. Mitt., 79
- Schweiger K., Wendelin W., Kratky C. Reaktion der Tautomeren 4-Hydroxy-2H-thiopyran-2-thion und 2-Mercapto-4H-thiopyran-4-on mit aliphatischen Aldehyden, 1359
- Schweiger K., s. Wendelin W., Zigeuner G.
- Sharma A. K., Kaushik N. K. Xanthate anions in salts of biscyclopentadienylzirconium(IV) chelates, 399
- Sharma A. K., Khera B., Kaushik N. K. Bis(indenyl)zirconium(IV) complexes of monofunctional bidentate salicylidimines, 907
- Sharma A. K., s. Khera B.
- Singh R. P., s. Ahluwalia V. K.
- Skarzewski J., Daniluk E. Lipophilic complexones, part 3. Synthesis of polyamines derived from 2-alkyl-1,3-propanediols and 2,2-bis(hydroxymethyl)alkanols, 1071
- Skoršepa J., s. Györyová K.
- Snatzke G., s. Mannschreck A.
- Soliman F. S. G., s. Kassem M. G.
- Sridharan S., Nowotny H., Wayne S. F. Investigations within the quaternary system titanium-nickel-aluminum-carbon, 127
- Stadlbauer W., Ravai Y., Sterk H., Kappe T. Mesoionische Sechsring-heterocyclus, XVI. Synthese von 2a,5a-Diaza-acenaphthylen Mesoionen, 965
- Stadlbauer W., s. Kappe T.
- Stanovnik B., s. Petrič A., Verčec B.
- Steigel A., s. Martin H.-D.
- Steindl H., s. Haslinger E.
- Stelzel P., s. Kappe T.
- Sterk H., s. Stadlbauer W.
- Stotz D., s. Böhmer V.
- Stuchlik P., s. Berner H.
- Stuefer A., s. Schwarzhans K. E.
- Svčlik J., s. Goljer I.
- Talvitie A., s. Mannschreck A.
- Tauchert H., s. Vorberg S.
- Tehim A. K., s. Ahluwalia V. K.
- Terzieff P., s. Ipser H.
- Tišler M., s. Petrič A., Verčec B.
- Trull F. R., s. Ribó J. M.
- Tsangaris G. M., s. Katsaros N.
- Tsangaris J. M., s. Katsaros N.
- Tuppy H., s. Gauster D.
- Ueno Y., s. Koshitani J.
- Uray G., s. Junek H.
- Urbančzyk A., Kalinowski M. K. Solvent-solute interaction. Solvation of vanadyl acetyl-acetonate in non-aqueous media, 1311
- Utvary K., s. Hahn H.
- Vassiloupoulos G., s. Nikokavouras J.
- Verčec B., Ogorevc B., Stanovnik B., Tišler M. Cyanoamino compounds in synthesis. Syntheses of some heterocycles, 789

- Verma R. D., s. Midha A.
- Villars P., Girgis K., Niggli A. Description of alloys by means of polyhedra packing. Binary alloys of niobium (and tantalum) with group III B and IV B elements, 1281
- Vitek R., s. Buchbauer G.
- Vogel E., s. Schlögl K.
- Vogl O., s. Li S.
- Voigt B., Wolf M. Beeinflussung des Kristallisationsverhaltens von GeS_2 -Schmelzen durch Schwefel oder Arsen, 1013
- Völlenkne H., s. Halwax E.
- Vorberg S., Schöpp W., Tauchert H. Quantitative Bestimmung primärer aliphatischer Alkohole (C_8 - C_{10}) mit Hilfe einer pyridinnukleotidunabhängigen Alkoholdehydrogenase aus *Pseudomonas putida*, 563
- Vyplel H., s. Berner H.
- Waburg M., s. Müller-Buschbaum H.
- Wagner G., s. Leistner S.
- Wannagat U., s. Blumenthal T.
- Wayne S. F., s. Sridharan S.
- Weissensteiner W., s. Hofer O., Paulus H.
- Wendelin W., Schermanz K., Kerbl J. Zur Kenntnis der Chalkon-Guanidin-Kondensate. Über Heterocyclus, 75. Mitt., 717
- Wendelin W., Schermanz K., Schweiger K., Fuchsgruber A. Über die Reaktionen von monosubstituierten Guanidinen mit 1-Phenyl-1,3-butandion. Über Heterocyclus, 76. Mitteilung, 1371
- Wendelin W., s. Schweiger K.
- Widhalm M., s. Hofer O., Schlögl K.
- Wiensch D. M., Jansen M. Untersuchungen an Tetranatrium-cyclo-tetra-phosphat(V) und seinen Hydraten, 699
- Wilsdorf A., s. Kuhl P.
- Wisor A. K., Czuchajowski L. Electronic spectra and conformational states of mono- and diphenyl derivatives of 4[2.2]paracyclophane, 1023
- Wisor A. K., Kus P., Czuchajowski L. Transannular interactions in *syn*- and *anti*-4[2.2](1,4) naphthalenophanes and *syn*- and *anti*-[2.2](1,4) anthracenophanes, 1213
- Wittmann H., Ziegler E. Über Reaktionen mit Betainen, 19. Mitt. Über Betaine und ihre Beziehungen zu N-Yliden. Trifluoracetyl-N-methyliden und ihre Beziehungen zu den entsprechenden Ammoniumbasen, 1223
- Wittmann H., Ziegler E., Peters K., Schnering H. G. v. Über Reaktionen mit Betainen, 17. Mitt.: Synthese und Kristallstruktur von Pyridinium-dihaloacetyl-methyliden, 1097
- Wittmann H., s. Ziegler E.
- Wojciechowska A., s. Lomozik L.
- Wolczik A., s. Buchbauer G.
- Wolf M., s. Voigt B.
- Wolfbeis O. S., Marhold H. Synthesis of new reagents for the fluorescence derivatisation of thiols and alcohols. Synthesis of fluorescent dyes, 15., 599
- Wons T., s. Riemschneider R.
- Yoshida T., s. Koshitani J.

Zafiropoulos T. F., s. Perlepes S. P.

Zapevalova N. P., s. Kuhl P.

Zbiral E., s. Brandstetter H. H., Schmid W.

Zemann J., s. Jarosch D.

Ziegler E., Wittmann H., Peters K. Über Reaktionen mit Betainen, 16. Mitt.: Über Betaine und ihre Beziehungen zu N-Yliden. Kristallstruktur von Trimethylammoniumtrifluoracetyl-methylid, 783

Ziegler E., s. Kappe T., Wittmann H.

Zigeuner G., Schweiger K., Schramm H.-W. Chemie des 5,7-Dihydroxy-2H-thiopyrano-[2,3-b]pyridin-4(3H)-ons, 923

Zigeuner G., s. Schweiger K.

Zimmerman F. M., s. McNaney J. A.

Zimmerman H. K., s. McNaney J. A.

Zrunek U., s. Falk H.



Sachverzeichnis/Subject Index

- Absolute chiralities 605
- Absolute configuration, of natural constituents 1399
- Acetate buffer 647
- 3-Acetyl-1,2,4-oxadiazoles 373
- Acetylacetone 399
- 3-Acetyl-amino-3-desoxy-*D*-galactose 1253
- Acetylenes 809
- 3-Acetyl-2-hydroxy-4-quinolizinones 349
- 6-*O*-(*N*-Acetyl-*D*-neuraminy)-*D*-glucopyranosides, derivatives 1247
- Achillea* 1399
- Acridans 3
- Activated dimethylsulfoxide 303
- Acyclic crown compounds 359
- 3-Acyl-amino-isoxazoles 373
- 1-Acyl-2-hydroxy-4-quinolizinones 349, 485
- 3-Acylmethylthio-4-cyano-2*H*-isothiazole-5-thiones 999
- Adsorption, from dilute solutions 393, 711
 - , from non-ideal solutions 875
 - , from solutions 559, 857
 - , on heterogenous surfaces 857, 875
 - , parameters single-solute and bi-solute 393
- Alcohol dehydrogenase 563
- Alcohol reagent 599
- Aldehydes, *D* labelled 509
- 4-Alkyl-amino-2(1*H*)-pyridinethiones 79
- Alkylaminothiopyranylium iodides 317
- Alkylation 425
- 2-Alkylimino-2*H*-thiopyranes 317
- 4-Alkylimino-4*H*-thiopyranes 317
- Alkylolithium reagents 249
- S*-Alkylpenicillamines 47
- Alkylrearrangement, O—N 281
- Alkyl-3(2-thioxo-3-pyridyl)-propionates 79
- Alloys 1281
- Aluminate, guanidiniumhexafluoro-277
- Aluminum compounds 1271
- Aluminum, in quaternary system 127
- Aluminum, Si—N cyclic non-carbon 1271
- Z*-Amino acids, esterification 631
- 2-Aminobenzaldoxim 465
- 6-Aminopiperonal 1231
- 4-Amino-2(1*H*)-pyridinethione 581
- 2-Amino-4-pyridones 953
- Anesthetic 813
- Anthracenophanes 1213
- Antibacterial 813
- Aromatic esters 89
- Aromatics 13, 525
- Arsenate, crystal structure 259
- Artemisia* 1399
- 5-Arylmethylene-3-pyrrolin-2-ones 1087
- Asparagine, complexes 1185
- Aspartic acid, complexes 1185
- Aza, Al—Si cyclic non-carbon 1271
- Aza-analogues, to quinazolines 1197
- Aza-phospha, cyclic non-carbon 1167
- Azo dyes 973
- Azoesters, synthesis, decomposition 37
- Azopyridopyrimidines 615
- B-coefficient 1351
- Benchotrenes 687
- Benzene character 155
- 1,4-Benzoquinone, charge transfer complexes 211
- 1,4-Benzoquinones 71
- 2*H*-3,1-Benzothiazin-2,4(1*H*)-dithione 915
- 1,4,5-Benzotriazocines 1231
- Benzotriazolization of phenols 937

- Benzoylacetone 390
 Benzoyl-2-naphthols 1260
 2-*O*-(*N*-Benzyloxycarbonyl-amino acid)-3-*O*-(4-methoxy-phenyl-diphenylmethyl)-*DL*-glyceraldehydediethylacetal 631

 Betaines 783, 965
 Bilatrienes-abc 1107
 Bile pigments, s. Pyrrole pigments
 Bilirubin 593
 Biliverdin 593
 Biotechnology 1059
 (Biphenyl-dicarboxylic acid methyl ester)bistricarbonyl-chromium 687
 Biphenyl torsion angle 687
 Biscyclopentadienylzirconium(IV) chelates 399
 Bis(indenyl)titanium(IV) 1161
 Bis(indenyl)zirconium(IV) complexes 907
 Bis-2,4,6-trichlorophenyl malonates 349, 1197
 Blood group M and N 453
 Bond properties 1149
 Boron chelates 465
 Borontrifluoride 809
 B2-phase, Au—Cd—Zn 1177
 Bromination 411, 425

 Cadmium—Au—Zn system 1177
 Calcium,
 $\text{Ca}_9(\text{Ca}_x\text{Mg}_{1-x})(\text{AsO}_4)_6(\text{AsO}_3\text{OH})$,
 $x \sim 0.5$ 259
 Camphenilanic acid 113
 Camphenilanol 113
 Capillary gas chromatography 385
 η -Carbides 127
 Carbon-13 data base 365
 Carbon hydrate chemistry 1247, 1253
 Carbon-13 NMR 27, 65, 113, 365, 739, 799, 965
 Carbon, in quaternary system 127
 Carbonitriles 973
 Carboxy-2,2-dimethylchromans 1381
 Carboxylic acid hydrazides 915
 Carboxypeptidase Y catalyzed peptide bond formation 343
 Carrier mediated transport 593
 Carvone sulphides 195

 Cations, organic 219
 Cerium earth nitrates 407
exo-exo Chair conformation 799
 Chalkone-guanidine condensates 717
 Charge transfer absorption 211
 Charge transfer complexes 675
 Chemiluminescence 3, 255
 6-Chloroacetamidopiperonal 1231
 Chlorobutanol 813
 Chloromagnesium bis(2,3,5,6-tetrachlorophenyl)copper 445
 Cholesteryl sulfate 453
 Chromans 71, 1381
 Chromatography, on triacetylcellulose 101, 605
 Chromenes 1381
 Chromium, polyphosphides 817
 Chromium tricarbonyl complexes 687
 Chromones, synthesis 123
 Circular dichroism 101, 195, 605, 1399
 Cluster complex 851
 Cobalt, CoTi_2O_8 21
 Cobalt, cluster complex 851
 Cobaltate(II) complexes 1355
 Complex chemistry 27, 33, 137, 185, 211, 243, 277, 399, 465, 535, 661, 675, 687, 829, 851, 907, 1137, 1161, 1185, 1337, 1355
 Complexones, lipophilic 1071
 Computer program, ^{13}C data 365
 Condensed hydrocarbons 155
 Conductivity 33, 535, 817, 907, 1161
 Configurational correlation 605
 Conformational analysis 289, 581, 799, 1359
 Coordination polyhedra 1281
 Copper(II) complexes 1337, 1185
 Copper(II) complexes, crystal structure 829
 Correlation analysis 1311
Craig distribution 407
 Crown compounds, acyclic 359
 Coumarins 1399
 Coumarin, sulfonium- and pyridinium ylides 303
 Cryptic functions of enzymes 1059
 Crystal chemistry 267
 Crystallinity, small angle X-ray 377
 Crystallization 1013
 Crystal structure, η^a , η^w -(Biphenyl-2,2'-dicarboxylic acid methyl ester)-bis(tricarbonylchromium) 687

- , $\text{Ca}_9(\text{Ca}_x\text{Mg}_{1-x})(\text{AsO}_4)_8(\text{AsO}_3\text{OH})$, $x \sim 0.5$ 259
- , Chromium polyphosphide 817
- , Cobalt, tricarbonyl complex 851
- , Copper(II) complexes of pyridine-2,6-dithiocarbonylmethylamide 829
- , Cycloaluminadiazane, dimeric 1271
- , Cyclo[tris(tricarbonylcobalt)]- μ_3 -(ethoxymethylidin) 851
- , $\eta^8, \eta^6[2-(1,3\text{-Dioxolane-2-yl})\text{biphenyl-2-carboxylic acid methyl ester}]\text{bis}(\text{tricarbonylchromium})$ 687
- , trans-[2.2](1,2)Ferrocenophane and 1-hydroxy derivative 799
- , Guanidinium hexafluoro-aluminate, -gallate, and -indate 277
- , Molybdenum polyphosphide 817
- , Nitrate group 267
- , Polyphosphides of Cr, Mo, and W 817
- , Pseudobrookite 21
- , Pyridine-2,6-dithiocarbonylmethylamide, Cu(II) complexes 829
- , Pyridinium-di-trihalogen-acylmethylidene 1097
- , Salicylaldehyde-*S*-methylisothiosemicarbazone 1205
- , Sodium thioferrate(III) 145
- , 2*R*,4*R*-5,6,6',7'-Tetrahydro-2-thioxo-spiro(4*H*-thiopyran-3(2*H*), 3'(4'*H*)-2*H*,5*H*-thiopyrano[2,3-*b*]thiopyran)-4,5'-one 1359
- , Tetrasodium-cyclo-tetra-phosphate(V), anhydrous and monohydrate 699
- , Trimethylammoniumtrifluoroacetylmethylide 783
- , Tungsten polyphosphide 817
- Cuprate 445
- Cyanamino compounds, in synthesis 789
- Cyanine dyes 219
- Cyano palladate(II) 1137
- Cyclic, non-carbon 1167
- Cyclic ethers, as solvents for salts 1321
- Cyclic voltammetry 1035
- Cyclization 1079
- , C—N and N—N bond formation 615
- , with N—N bond formation 789
- Cycloaluminadiazane, dimeric 1271
- Cyclobutenes 1145
- Deacylation 349
- Dehydroabietic acid 1141
- Derivatization, fluorescence 599
- Deuteration 1087
- Dialkyltin(IV) trifluoroacetates 661
- Diamine estrogenic complexes 535
- Diamino-alkoxy-pyridine-carbonitriles 973
- Diaminosulfanes, reaction with Cu(II) salts 177
- 2,4-Diaminothiopyranylum halogenides 581
- 2,4-Diaminothiopyranylum iodides 317
- Diastereomers 739, 773
- 2a,5a-Diaza-acenaphthylene mesoionic compounds 965
- 2,3-Dichloro-5,6-dicyano-1,4-benzoquinone 71
- 3,4-Dichloro-2,5-dilithiothiophene 249
- Differential thermal analysis 1013
- Dihydroazepines 1145
- 2,3-Dihydrobilatrienes 983
- 2,3-Dihydrobilatrienes-abc 739, 773
- 2,3-Dihydrobilatrienes-abc, deprotonation 1107
- 2,5-Dihydro-2,5-dimethoxyfuran 635
- 3,4-Dihydropyrrmethenones, deprotonation 1107
- Dihydroxydiphenylmethanes 411
- 5,7-Dihydroxy-2*H*-thiopyrano-[2,3-*b*]pyridin-4(3*H*)-one 923
- α, ω -Diiodo-oligosilane 1305
- Diisophorone 739
- β -Diketones, reactions with guanidine 1371
- Diluents 273
- α, α -Dimethylbenzyl hydroperoxide 1391
- 3-Dimethylbicyclo[2.2.1]heptane-2-carboxylic acid 113
- 3,3-Dimethylbicyclo[2.2.1]hept-2-*exo*-yl-tetrahydrofuran 1237
- 2,2-Dimethylchromans 71
- Dimethyl-ethyl-3-(1-trifluoro-2-oxo)propylammonium-hydroxide 1223

- 2,2-Dimethyl-5-hydroxy-3-(3-oxobutyl)-7-pentyl-4-chromone 123
Dimroth reaction 581
 Dinitrogen trioxide 639
 (Dioxolanyl-biphenyl-carbonic acid methyl ester)bistri-carbonylchromium 687
 Diphenylpicrylhydrazyl 1035
 1,3-Dipolar cycloaddition 1145
 Dipyrzolyldimethanes 219
 Disilicates, chemical shifts 1053
 1,4-Dithiinodiquinoline 281
 2D-Shift correlation 113
 Dualfluorescence 513
Dubinín-Radushkevich equation, for liquid adsorption 857
- Electrochemistry 1035
 Electromotive force 891
 Electron density, mean square fluctuation 377
 Electrophilic substitution 1079
 Enzymes 563
 —, cryptic functions 1059
 —, for synthesis 433
 Enzymic synthesis in biphasic systems 343, 571
 Enolate 373
 EPR spectra 137
 Erdit 145
 Ester — ether crown compounds 359
 Ethyl acetoacetate 1005
 Ethyl β -aminocrotonate 485
 Ethyl 3-anilino-2-cyanocrotonates 333
 Ethyl 2-cyano-3-ethoxycrotonate 333
 Ethylenediaminetetraacetic acid 185
- Ferrocenes, Fe-57 NMR 495
 [2.2](1,2)Ferrocenophanes 799
 Field effect 1087
 Fluorescence 185, 509
 Fluorine-19 NMR 661
 Fluorodiazadiphosphetides 1167
 Fluorometallates 277
 FMMF method 1087
 Formation constant, complexes 1185
N-Formyl-5,5-dimethyl-thiazolidine-4-carboxylic acid 47
 Formylmethylthiopyranes 289
- 3-Formyl-2,2,5,5-tetramethyl-thiazolidine-carboxylic acid amides 47
 Free energy of solution 1321
 Fruity fragrance 1237
 5*H*-Furan-2-ones, synthesis 635
- Gadolinium(II) complexes 185
 Gallate, guanidiniumhexafluoro- 277
 Gallic acid 1381
 Gentisic acid 1381
 Germaniumdisulfide 1013
 Germicidal 813
 Glass forming ability 1013
 Glass structure, Fe_2O_3 — V_2O_5 system 669
 Glucosides 1247
 Glucosyltransferase assay 625
 DL-Glyceraldehyde-diethyl-acetal-3-(4-methoxyphenyl-diphenylmethyl)-ether 631
 Gold—Cd—Zn system 1177
 Gold(III) complexes 27
 Gold(III)trichloride 27
Could-Jacobs reaction 333
 Group theory 525
 Guanidine—chalkone condensates 717
 Guanidines, reactions with β -diketones 1371
 Guanidinium, hexafluoro complexes 277
- Halogenomethylpolysilane 1305
Hammelt equation 3
 Heats of solution 385
 Heterocyclic 47, 65, 71, 79, 123, 211, 219, 227, 249, 281, 289, 303, 317, 333, 339, 349, 373, 425, 485, 581, 593, 615, 635, 717, 753, 773, 789, 915, 922, 937, 953, 965, 983, 999, 1009, 1079, 1087, 1107, 1189, 1197, 1237, 1359, 1381
 Hexamethylene tetramine 27
 Hierarchic order, in solid state 839
 Homolytic photocleavage 1005
Horeau's method 1399
 Hybridization influence on chemical shifts 495
 Hydration numbers 547
 1,4-Hydride shift 501
 1,5-Hydride shift 1125
 Hydrocarbons, condensed 155
 Hydrogen bonding 411
 Hydroperoxides 1391

- Hydroxamic acids 1009
 4-Hydroxy-3-butyrylpyridone 79
 Hydroxylamine derivatives 1009
 2-(2-Hydroxyphenyl)2*H*-benzotriazole 937
 4-Hydroxy-2-pyridones 485, 953
 8-Hydroxyquinoline 399
 4-Hydroxy-1-(2-quinolinyl)-quinoline-2(1*H*)-ones 227
 4-Hydroxy-2*H*-thiopyran-2-thion 1359
 4-Hydroxy-2-thioxopyridyl-propylketone 79
 Hypersensitive bands 185

 Immobilized enzymes 433
 Indate, guanidiniumhexafluoro- 277
 Inductive effects 65
 Infra red 27, 339, 535, 661, 669, 907, 1149, 1337, 1355
 Insertion reaction, of isocyanide 1045
 Interionic distances in carboxylates 1321
 Intramolecular hydrogen bonding 411
 Inversion of configuration 1125
 Iron, Fe_3O_4 - V_2O_5 system 669
 —, FeTi_2O_7 21
 Iron-57 NMR 495
 4-Isocamphanyl-4-oxo-butyric acid 1237
 Isocamphenilanic acid 113
 Isocamphenilanol 113
 Isocyanide insertion, into $\text{Pd}-\text{C}\sigma$ bond 1045
 Isothiazoles 999
 Isotope effect, $\text{H}-\text{D}$ 509, 541
 —, $^6\text{Li}-^7\text{Li}$ 541
 Isoxazole 373

Kekulé structure 13, 525
 Ketene intermediates 227
 Keto-enol tautomerism 581
 Ketol-isomerization 501
 Ketones, synthesis 809
 Kinetics 411, 639, 647, 773, 1391
Klosa-Ziegler acylation 349
Koenigs-Knorr reaction 1247

 Lactam—lactim tautomerism 983
Langmuir-Freundlich isotherm 393

Langmuir isotherm, generalized 711
 Lanthanide induced shifts 289
 Lanthanides 273
 Lattice parameters, $\text{Au}-\text{Cd}-\text{Zn}$ 1177
 Ligand field spectra 1355
 Lithium—chlorine exchange 249
 Lithium—hydrogen exchange 249
 Lithium hydrogen oxalate monohydrate 541
 Local excitation transitions 1023
 Long chain alcohols 563
 Low voltage electron impact mass spectrometry 89
 Lucigenin, chemiluminescence 255

 Magnesium, MgTi_2O_7 21
 Magnetic properties 137, 817, 1355
 Maleopimaric acid 1141
 Malononitrile, reactions with 1189
 Mass spectrometry 89
 Mechanism 33, 675, 1391
 Meconium 453
 Meltlike state 839
 Membranes 255
 Membranes, model bulk 593
 2-Mercapto-4*H*-thiopyran-4-on 1359
 Mercuric ion 547
 Mercurous ion 547
 Mesoionic six-membered heterocycles 965
 Metallocenes 243, 399, 495, 687, 799
 Methano[10]anulenes 605
 2,7-Methano[10]azaanulenes 605
 Methin- ^1H -NMR shifts 1107
 2-Methylbuta-1,3-diene 71
 8,9-Methylenedioxy-1,4,5-benzotriazocin-2(1*H*)-one 1231
 μ_3 -Methyldiynone-nonacarbonyltricobalt cluster complex 851
 2-Methylthio-4*H*-thiopyrane-4-one 581
 2-Methylthiothiopyranilyden-ammonium iodides 581
 5-Methylxanthyletin 71
 MINDO/3 1023
 Molybdenum, polyphosphides 817
 Mononuclear rearrangement 373
 Morpholine, *N*-nitrosation 647
Mössbauer spectra 661, 1149
 Multidentate ligands 359
 Multilayer liquid adsorption 559

- NAD(P)-independent alcohol dehydrogenase 563
 Naphthalenophanes 1213
 Negative ion mass spectrometry 89
 Nickel, in quaternary system 127
 Niobium, III B and IV B alloys 1281
 Nitrate group, aplanarity 267
 Nitration 425
 Nitroacetic acid 185
 Nitrogen-15 NMR 219
 Nitrones 211
 Nitronynitroxyl radicals 137
N-Nitrosation, kinetics 639, 647
N-Nitrosomorpholine 647
 NMR, ^{13}C 27, 65, 113, 365, 739, 799, 965
 ^{19}F 661
 ^{57}Fe 495
 ^1H 27, 101, 113, 195, 243, 339, 779, 907, 965, 1107
 ^1H , in presence of an optically active auxiliary 101
 ^{15}N 219
 ^{17}O 219
 ^{29}Si 1053
 Nucleophilic aromatic substitution 281

 Orcinol 71
 ORD 195
 Organometallic 1045
 Organosilicon halide complexes 27
Ortoleva-King reaction 303
 1,2,4-Oxadiazoles 373
 Oxidation, CrO_3 1267
 Oxidation, of labelled alcohols 509
 2-Oxo[1]benzopyran-4-olates 303
 2-Oxoquinolin-4-olates 303
 Oxygen-17 NMR 219

 Palladium(II) complexes 535
 Palladium, pyridyl complexes 1045
 Papain 433
 Paracyclophanes 1023
Pechmann condensation 71
 Penicillamine, derivatives 47
 Pentachlorophenyl malonates 965
 Pepsin-catalyzed peptide bond formation 571
 Peptide synthesis 343, 433, 571

 Permethylcyclosilanes 1305
 Phase diagram, Au—Cd—Zn 1177
 —, Au—Zn 1177
 Phenazon 219
 Phenol adsorption 711
 Phenoxyacetic acid ester 359
 Phenoxy derivatives 1161
 Phenylbis(cyclopentadienyl)-phosphane 243
 Phenyl-[2.2]paracyclophanes, electronic spectra 1023
P-Phenyl-1,1'-phosphane-diylbis(cyclopentadienyl)titanium(IV) dichloride 243
 Phospha-aza, cyclic non-carbon 1167
 Phosphorus bridged titanocenophane 243
 Photochemistry 255, 1005
 Photocleavage 1005
 Photoconversion "outer"—"inner" complex 675
 Photo-*Fries* rearrangement 1269
 Phytochrome models 739, 773, 983, 1107
 pK_a measurements 1107
 Planar chiral compounds 605
 Platinum(II) complexes 27, 535
 Platinum(II) dichloride 27
 Pleuromutilines 501, 1125
 Polyamines 1071
 Polyhedra packing model 1281
 Polyphosphides of Cr, Mo, and W 817
 Potassium carboxylates, solubilities in cyclic ethers 1321
 Potentiometric measurement 547
 PPP-CI 1023, 1213
 Protonation equilibria 983
 Pseudobrookite 21
Pseudomonas putida 563
 Pseudotetrahedral cobaltate(II) ions 1355
 4*H*-Pyrazolo[1,5-*a*]benzimidazole 425
 1*H*-Pyrazolo[3,4-*d*]thieno-[2,3-*b*]pyridine 1079
 Pyrazolyl cations 219
 Pyridine-2,6-dithiocarbomethylamide copper(II) bromide and iodide, crystal structure 829
 Pyridine-2,6-dithiocarbomethylamide copper(II) complexes 1337

- Pyridine-2,6-dithiocarbomethylamide
 copper(II) nitrate, crystal structure 829
 Pyridinium-di-trifluoroacetyl-methylide 1097
 Pyridinium-trifluoro-acetyl-methylide 1097
 Pyridones 953
 3*H*-Pyrido[2,3-*d*]pyrimidin-4-ones 1197
 1*H*-Pyrido[1,2-*a*]quinazoline-1,6-diones, aza-analogues 1197
 2-Pyrimidinamines 717
 Pyrimidines 1371
 2(1*H*)-Pyrimidinethiones 717
 2(1*H*)-Pyrimidinones 717
 Pyrimido[1,2-*a*]pyrimidines 717
 Pyrimido[3,4-*a*]quinoline-1,3-diones 227
 Pyrimido[1,2-*a*]quinolines 227
 2-Pyrones 485
 Pyrrole pigments 593, 753, 773, 983, 1087, 1107
 Quaternary system Ti, Ni, Al, C 127
 Quenching 3
 Quinazolin-2,4-(1*H*,3*H*)-dithione 915
 Quinoline-carbohydroxamic acids 1009
 Quinoline-carboxylic acid derivatives 1009
 Quinolines 333
 Quinolizines 349
 Quinolizinones 485
 4(1*H*)-Quinolones 281
 2-Quinolone, sulfonium- and pyridinium ylides 303
 Quinolyl-quinolonyl sulfides 281
 Rabbit anti-M and anti-N antisera 453
 Racemase 1059
 Radicals 137
 Raman spectra 541
 Rare earth disilicates 1053
 Rare earth nitrates 407
 Rearrangement 373, 789, 1269
 Redox equilibria 547
 Resin acid derivatives 1259
 Resonance effects 65
 Retro-*Diels-Alder* reaction 1141
 Reversed phase chromatography 625
 Ring tilting in ferrocenes 495
 Ring transformation 915
 Ritter reaction 953
 Rotation, hindered, about $\text{C}=\text{C}$ 101
 Rotational barriers 289
 Salizylaldehyde *S*-methylthiosemicarbazone 1205
 Salicylaldehyde, *O*-alkyloxime and *O*-acyloxime 465
 Salicylaldehyde boronates 465
 Salicylidimine complexes 907
 Salt solubilities 1321
 Samarium(III) complexes 185
 Saturation-transfer kinetics 773
 Schiff base 907
 Secondary amines, nitrosation 639
 Sesquiterpene-coumarin ethers 1399
 Shift correlation, ^1H - ^{13}C 965
 Sialyl glucosides 1247
 Significant electron structures 155
 Silanes 1305
 Silicon, Al-N cyclic non-carbon 1271
 Silicon-nitrogen chemistry 1271
 Silicon-29 NMR 1053
 Silicon-O-Si bond angle 1053
 Silver/silver iodide electrode 891
 Single-solute adsorption 711
 Small angle X-ray 377
 Small ring cleavage 1145
 Sodium-cyclo-tetraphosphate(V), anhydrous 699
 —, monohydrate 699
 Sodium thioferrate(III) 145
 Solid-"meltlike" transitions 839
 Solid state high-resolution Si-29 NMR 1053
 Solubilities, of potassium carboxylate salts 1321
 Solvent effects 513, 1005, 1035, 1311
 Solvent multiparameter models 513
 Solvent viscosity 513
 Spin resonance spectra 1337
 Spirotetrahydrofuran 1237
 Stabilization energy 155
 Standard electrode potentials 891
 Static and dynamic aspects of order 839
 Structure-sensitive properties 839
 Subdivision, of viscosity B-coefficient 1351

- Sulfoxylic acid 177
 Sulfur(II) compounds 177
 Synergistic extraction 273
 Synthetase 1059

 Tantalum, III B and IV B alloys 1281
 Tautomerism 65, 79
 Tea aroma 1237
 Terbium(III) complexes 185
 Terpenes 195, 501, 1125, 1399
 Tetracyanoethylene, charge transfer complexes 211
 Tetrahydro-thioxo-spiro(thiopyran-thiopyrano-thiopyran)-diones 1359
N,N,N',N'-Tetramethyldithiooxamide 101
 Tetrazoles 65
 Tetrazolium salt 563
 Thenoyltrifluoroacetone 273
 Thermal analysis 1337
 Thermal decomposition 1141
 Thermal rearrangement 227
 Thermodynamics 385, 547, 891, 1321
 Thermolysin 433
 1,3,4-Thiadiazoles 915
 1*H*-5,1,2,6-Thiatriaza-acenaphthylene 923
 Thiazolidines 47
 Thiazolo[3,2-*b*]isothiazole-6-thione 999
 Thiazolo[3,2-*b*]isothiazolium salt 999
 Thieno-pyrido-pyrazolo-pyrimidines 1079
 Thin films, extremely 839
 Thiobisamine 177
 Thiocarboxamides, $\alpha,\beta,\gamma,\delta$ -unsaturated 317
 Thiodipyrimidines 1371
 Thioferrates, X-ray 145
 Thiol reagent 599
 Thiophanium ylides 303
 Thiophenes 249
 Thiopyranes 317, 1189, 1359
 Thiopyrano-bisthiopyrandiones 1359
 Thiopyrano[2,3-*b*]pyridinthioles 923
 Thiopyrano[2,3-*b*]pyridones 923
 Thioquinanthrene 281
 Thioxo-pyridines 1189
 2-Thioxo-3-pyridylmethylketone 923
 Tin(IV) complexes 661

 Tin(II) phosphates, *Mössbauer* spectra 1149
 Titanium, in quaternary system 127
 Titanium(IV) complexes 1161
 Titanium compounds 21
 [1]Titanocenophanes, phosphorus bridged 243
p-Toluidine-iodine complex 675
 Topotactic solid state reactions 145
TPP-DEAD-HN₃ 1253
 Transannular 1,4-hydride shifts 501
 Transannular interactions 1213
 Transition metal complexes, of stable free radicals 137
 Transition-metal polyphosphides 817
 1,2,4-Triacetylbenzene 1267
 Triacetylcellulose 101, 605
 Trialkylammonium-di-trifluoroacetyl-methylide 1223
 Trialkylammonium-trifluoroacetyl-methylide 1223
 Triazolo-thiadiazolo-quinoxalin-6-one 339
 Tributylphosphate-nitric acid, extraction 407
 1,1,1-Trichloro-2-methyl-2-propanol 813
 2,4,6-Trichlorophenyl malonates 965
 Trichloro-2-thienyl-lithium 249
 2,3,4-Trichlorothiophene 249
 Tricyclic diterpene 501
 Tricyclic heterocyclic compounds 615
 Tricyclo[7.3.1.0^{2,7}]-tridecanes 739
 Trifluoroacetic acid 1087
 Trimethylammoniumtri-fluoroacetyl-methylid, X-ray 783
 Trimethylchlorosilane complexes 27
 Trimethyl sulfonium, cyanometallates 1137
 Trioctylamine 273
 Triphenyl sulfonium, cyanometallates 1137
 Tris(triphenylphosphine)-ruthenium dichloride 509
 1,2,4-Trithiolanes 999
 Trypsin 433
 Tungsten, polyphosphides 817

 Ullmann arylation 425
 Ultra-sonic 1141

- Ultraviolet absorbers 937
Ultraviolet stabilizers 937
UV-VIS 195, 211, 937, 973, 1023,
1213, 1337
- Vanadate glasses 669
Vanadium, V_2O_5 — Fe_2O_3 system 669
Vanadyl acetylacetonate 1311
Vibrational spectra, s. IR
Viscosity 1351
Vitamines, C and P 255
Void fraction in solid macromolecules
377
Voltammetric measurements 675
- Water, B-coefficient 1351
Woody odour 1237
- Xanthates 399
Xanthyletins 71
X-ray, s. Crystal structure
X-ray multi-phase analysis 377
X-ray, small angle scattering 377
- γ -Yliden- α,β -butenolide 635
Ylides 303
- Zeolites, adsorption on 857
Zinc—Cd—Au system 1177
Zinc(II) complexes 1185
Zirconium(IV) complexes 907